

DOI: 10.5281/ZENODO.12513768 ISBN: 978-625-6879-62-1



PROF. DR. YİĞİT UYANIKGİL PROF. DR. INDRAJIT BANERJEE TÜRKİYE, LAOS, PHILIPPINES, CHINA, AZERBAIJAN, POLAND, NIGERIA, LITHUANIA, ALGERIA, SOUTH AFRICA, UKRAINE, PAKISTAN, SPAIN, MOROCCO, MALAWI, THAILAND, TURKISH REPUBLIC OF NORTHERN CYPRUS



## EDITORS PROF. DR. YİĞİT UYANIKGİL PROF. DR. INDRAJIT BANERJEE

BZT TURAN YAYINEVİ ® BZT TURAN PUBLISHING HOUSE 2024© TURKEY, USA

TR: +90 543 671 0123 USA: +1 518 629 5640

## 7th International acharaka congress on Medicine, Nursing, Midwifery, and Health Sciences

JUNE 20-22, 2024

ONLINE & IN-PERSON PARTICIPATION

ZOOM & IZMIR, TURKIYE

## CONGRESS PROCEEDINGS BOOK

## **EDITORS**

Prof. Dr. Yigit UYANIKGIL Prof. Dr. Indrajit BANERJEE

## **BZT AKADEMI YAYINEVI**®

TÜRKİYE, GERMANY

TR: +90543 671 0123 GR: +491774586777

acharakacongress@gmail.com

https://www.acharakacongress.com/

All rights reserved

BZT TURAN YAYINEVIR

BZT TURAN PUBLISHING HOUSE Publishing Date: 07.07.2024

DOI: 10.5281/zenodo.12513768 ISBN: 978-625-6879-62-1















## **CONGRESS ID**

## **CONGRESS NAME**

7TH INTERNATIONAL ACHARAKA CONGRESS ON MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

## DATE AND VENUE

JUNE 20-22, 2024

ONLINE & IN-PERSON PARTICIPATION (IZMIR, TÜRKIYE) (FROM 17 DIFFERENT COUNTRIES)

TÜRKI YE, LAOS, PHILIPPINES, CHINA, AZERBAIJAN, POLAND, NIGERIA, LITHUANIA, ALGERIA, SOUTH AFRICA, UKRAINE, PAKISTAN, SPAIN, MOROCCO, MALAWI, THAILAND, TURKISH REPUBLIC OF NORTHERN CYPRUS,

## ORGANIZERS & PARTICIPANT INSTITUTIONS

BZT Turan Academy, Türkiye
Ege University, Türkiye
Aydın Adnan Menderes University, Türkiye
Sir Seewoosagur Ramgoolam Medical College, Mauritius
Azerbaijan Medicine University, Azerbaijan

Presidents / V. President of Organization Committee

PROF. DR. YIGIT UYANIKGIL DR. SIBEL SEKER

President of Scientific Committee

PROF. DR. YIGIT UYANIKGIL Prof. Renmir Jan D. Maala

President of Coordinators' / General Coordinator

Dr. Baha Ahmet YILMAZ

## **ACCEPTED PAPERS**

85 Turkish Participants IOI Foreign Participants %55 Foreign Participant Rate %,45 Turkish Participant Rate

## **REFUSED PAPERS**

2 Foreign Participants

## **EVALUATION PROCESS**

All Submissions Have Passed a Double-Blind Referee Evaluation Process
All Responsibility for the Works Belongs to the Author

Ege Ünv. Evrak Tarih ve Sayısı: 30.05.2024-E.1879047



## T.C. EGE ÜNİVERSİTESİ REKTÖRLÜĞÜ Tıp Fakültesi Dekanlığı Personel İşleri Birimi



Sayı :E-69162757-900-1879047 Konu :Prof. Dr. Yiğit UYANIKGİL

## DAĞITIM YERLERİNE

İlgi : 29.05.2024 tarihli ve 1878006 sayılı yazı.

Fakültemiz Histoloji ve Embriyoloji Anabilim Dalında görev yapmakta olan Prof. Dr. Yiğit UYANIKGİL'in BZT Turan Akademi, İstanbul Üniversitesi ve Filipinler Mindanao Üniversitesi partnerliğinde 20-22 Haziran 2024 tarihleri arasında ZOOM platformu üzerinden (çevrimiçi) Özbekistan'ın Urgenç kentinde yüz yüze gerçekleşecek olan 7. Uluslararası Acharaka Tıp, Hemşirelik, Ebelik ve Sağlık Bilimleri Kongresi bilim ve organizasyon kurulu üyesi olarak görevlendirilmesi Dekanlığımızca uygun görülmüştür.

Bilgilerinizi ve gereğini rica ederim.


Prof. Dr. Samim ÖZEN Dekan Yardımcısı

Dağıtım: Histoloji ve Embriyoloji Anabilim Dalı Başkanlığına Sayın Prof. Dr. Yiğit UYANIKGİL

Bu belge, güvenli elektronik imza ile imzalanmıştır.

Belge Doğrulama Kodu :BSN3534PBBC

Belge Takip Adresi: https://www.turkiye.gov.tr/ege-universitesi-ebys







## T.C. AYDIN ADNAN MENDERES ÜNİVERSİTESİ REKTÖRLÜĞÜ Sağlık Bilimleri Fakültesi Dekanlığı



Sayı :E-92340882-903.07-543618 03.06.2024

Konu : Görevlendirme izni hk.

## DAĞITIM YERLERİNE

İlgi : 03.06.2024 tarihli ve E-79066156-903.05-543332 sayılı yazı.

Bölümünüz Dr.Öğr.Üyesi Sibel ŞEKER'in 20-22 Haziran 2024 tarihlerinde ZOOM platformu üzerinden çevrimiçi; Özbekistan'ın Urgenç kentinde yüz yüze gerçekleşecek olan 7. Uluslararası Acharaka Tıp, Hemşirelik, Ebelik ve Sağlık Bilimleri Kongresi'ne bilim ve organizasyon kurulu üyesi olarak ZOOM platformu üzerinden çevrimiçi katılması uygun görülmüştür.

Bilgilerini ve gereğini rica ederim.

Prof. Dr. Ayden ÇOBAN Dekan V.

Dağıtım:

Gereği:

Ebelik Bölüm Başkanlığına

Bilgi:

Sayın Dr. Öğr. Üyesi Sibel ŞEKER (Öğretim

Üyesi)

Bu belge, güvenli elektronik imza ile imzalanmıştır.

Doğrulama Kodu: BSNAHBV9J9 Doğrulama Adresi: https://turkiye.gov.tr/ebd?eK=5740&eD=BSNAHBV9J9&eS=543618

ADÜ Merkez Kampüs Aytepe Mevkii 09100 Efeler/AYDIN
Telefon: 0(256) 220 30 00 Faks: 0(256) 220 30 99
e-Posta: sagbilfakultesi@adu.edu.tr İnternet Adresi: akademik.adu.edu.tr/fakulte/saglik/
KEP Adresi: adnanmenderesuniversitesi@hs01.kep.tr



## 7. ULUSLARARASI ACHARAKA TIP, HEMŞİRELİK, EBELİK VE SAĞLIK BİLİMLERİ KONGRESİ 20-22 HAZİRAN 2024 YÜZ YÜZE & ÇEVRİMİÇİ URGENC, ÖZBEKİSTAN

20-22 Haziran 2024 tarihlerinde ZOOM üzerinden çevrimiçi ve Türkiye'nin İzmir kentinde yüz yüze olarak gerçekleştirilen 7. Uluslararası Acharaka Tıp, Hemşirelik, Ebelik ve Sağlık Bilimleri Kongresi YÖK ÜAK kuralları ve üniversiteniz yönetmeliğiniz gereği akademik teşvik kriterlerini sağlamaktadır. Toplam 186 adet bildirinin yer aldığı kongre üç gün boyunca çevrimiç<mark>i ve</mark> yüz yüze olarak gerçek<mark>leş</mark>tirilmiştir.

Türkiye dışından toplam 7 farklı ülkeden açılış konuşmacısı; 17 farklı ülkeden katılım (detaylar kongre bildiri kitabında yer alan kongre programında yer almaktadır) sağlanmış olup, 186 adet bildirinin 101 tanesi yabancı, 85 tanesi Türk katılımcı tarafından sunulmuştur. Kongrenin yabancı katılımcı oranı %55'dir.

Bu belge ilgili üniversitenin akademik teşvik komisyonuna takdim edilmesi üzerine verilmis.

İlgili bilgilerin detayları kongre bildiri kitabının künye kısmında yer almaktadır.

Kongremize ilginiz için teşekkür ederiz.

Saygılarımızla,



















Bu belge 20-22 Haziran 2024 tarihleri arasında Urgenç, Özbekistan'da verilmiştir.

**ILETISIM** 



## INTERNATIONAL ACHARAKA CONGRESSON

MEDICINE, NURSING, MIDWIFERY, AND **HEALTH SCIENCES** DAY 1 GÜN 1 JUNE 20, 2024



**MEETING ID: 873 5712 6569** 

**PASSWORD: 273354** 

















## PARTICIPANT COUNTRIES (17):

TÜRKİYE, LAOS, PHILIPPINES, CHINA, AZERBAIJAN, POLAND, NIGERIA, LITHUANIA, ALGERIA, SOUTH AFRICA, UKRAINE, PAKISTAN, SPAIN, MOROCCO, MALAWI, THAILAND, TURKISH REPUBLIC OF NORTHERN CYPRUS



ZOOM (ONLINE)



IZMIR KAVRAM VOCATIONAL COLLEGE OF HIGHER EDUCATION 09.00-17.30



MEDICINE, NURSING,
MIDWIFERY, AND HEALTH
SCIENCES

RENMIR JAAN MAALA



09.00-09.15



The Global Society for Philippine Nurse Researchers, Inc. (GSPNRI), PHILIPPINES



"Nurturing Resilience: A Trauma Informed Nursing Care"

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

INDRAJIT BANERJEE



909.00-09.15



SSR Medical College, MAURITIUS



"Alcohol addiction and treatment of withdrawal syndrome and dependence in Mauritius"



# INTERNATIONAL ACHARAKA CONGRESS ON

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES DAY 1 GÜN 1



**MEETING ID: 845 4755 0383** 

**PASSWORD: 802377** 















## PARTICIPANT COUNTRIES (17):

TÜRKİYE, LAOS, PHILIPPINES, CHINA, AZERBAIJAN, POLAND, NIGERIA, LITHUANIA, ALGERIA, SOUTH AFRICA, UKRAINE, PAKISTAN, SPAIN, MOROCCO, MALAWI, THAILAND, TURKISH REPUBLIC OF NORTHERN CYPRUS



ZOOM (ONLINE)



IZMIR KAVRAM VOCATIONAL COLLEGE OF HIGHER EDUCATION 09.00-17.30



MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

Dev.

DAVRANBEK BATIROV



909.00-09.15



Uzbekistan Urgench Medical Academy, UZBEKISTAN



"Medicine in Uzbekistan"

## INTERNATIONALACHARAKA

Congress on

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

Faxriyya Quliyeva



9 09.15-09.30



Azerbaijan Medicine University, Faculty of Emergency Medicine, AZERBAIJAN



"Emergency medicine training in Azerbaijan"

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

Assoc. Prof. Dr. MERVE AYDIN



09:30.09.45




Karadeniz Technical University, TÜRKİYE



"OPPRESSIVE PRACTICES AND ETHICAL PROBLEMS IN PSYCHIATRIC CLINICS"

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

Sibel şeker



09:45-10.00



Aydın Adnan Menderes University, TÜRKİYE



"Historical Perspective on Childbirth Education"

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

YIĞIT UYANIKGİL



10:00-10.15



Ege University, Faculty of Medicine, TÜRKİYE



"Stem Cells and Exosomes in Regenerative Medicine"

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

Hygoc. Prof. Dr. FUNDA KARBEK AKARCA



10.15-10.30



Ege University, Faculty of Medicine, TÜRKİYE



"Women in Medicine"

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

Hssoc. Prof. Dr. VUGAR ILGARLI



10.30-10.45



Hoca Ahmet Yesevi University, Kazakhistan



"Midfiwery and Its Perception in HAYU Students: A Case Study"

MEDICINE, NURSING, MIDWIFERY, AND HEALTH SCIENCES

M. KAMALAKKANAN



10.45-11.00



Arunai Engineering College, INDIA



"India Health System"

DOI: 10.5281/zenodo.12513768

## ANALYSIS OF PUBLIC HEALTH LAPSES TO COVID-19 PANDEMIC AND INNOVATIVE INTERVENTIONS FOR FUTURE HEALTH CRISES AMONG HEALTHCARE PROVIDERS IN DAVAO CITY

PRINCESS JOY G. DELOS REYES<sup>1</sup> & DR. RENMIR JAN D. MAALA<sup>2</sup>

<sup>1</sup>Student Nurse Researcher, University of Mindanao, Philippines <sup>2</sup>Professor / Research Adviser

## Abstract

This research focuses on public health lapses during COVID-19 among healthcare providers in Davao City to assess their knowledge, attitudes, and practices during the pandemic. This study aims to identify innovative interventions and coping strategies to propose new responses for future health emergencies. A quantitative descriptive study was conducted on a random sample of 100 healthcare providers in Davao City using a 25-item questionnaire. The survey questionnaire was divided into three categories: knowledge, attitudes, and the practices of healthcare providers. The findings of the knowledge, attitude, and practices among Healthcare Providers in Davao City are relatively high, with a total mean of 4.65. The Healthcare providers had effective infection control, adequate PPE, sufficient staffing, efficient preventive measures, and correct practice of doffing and donning PPE. However, despite the high level of knowledge, attitude, and practices of the healthcare providers, equipping preparedness among healthcare providers for any possible future health emergencies can lessen the transmission of the disease and maintain the well-being of public health. The researchers recommend conducting seminars and training, creating a regular pandemic preparedness plan, and disseminating accurate and reliable information to the community to further improve the healthcare providers' and public health awareness and safety practices.

**Keywords:** Public health lapses, Covid-19, healthcare providers, innovative interventions, coping strategies, public health shortcomings, future health emergencies, random sample, and poor infection control.

ISBN: 978-625-6879-62-1 DOI: 10.5281/zenodo.12513768

**SDG Indicator**: #3 (Good Health and Well-being), #6 (Clean water and sanitation), #11 (Sustainable cities and communities), #16 (Peace, justice and strong institutions), #17 (Partnerships for goals).

ISBN: 978-625-6879-62-1 DOI: 10.5281/zenodo.12513768

### I. INTRODUCTION

In the past years, the world was alarmed by the cascading transmission of Coronavirus (COVID-19), which appeared in late 2019 in Wuhan, China. It is a disease that affects the respiratory system, is caused by the SARS-CoV-2 virus and threatens global health. Life has become restricted and caused poor coping strategies regarding health crises and environmental threats such as pandemics. The Mondial strategies are composed of five measures: a) management, b) protection, c) containment via control and suppression of transmission, d) information, and e) support aligns healthcare providers' approaches to precautions and emotional and financial support to each healthcare provider.

The strategies mentioned above are ideally practiced globally; however, during the pandemic, many healthcare providers have a greater risk of acquiring COVID-19, 43.3% of healthcare providers reported that they have gone to crowded areas, shaken hands, and hugged other people.<sup>4</sup> Studies also showed that 90% of the healthcare providers observed incorrect doffing of PPE, removing face shields, and touching contaminated surfaces.<sup>5</sup>

Moreover, age and gender were significantly associated with poor COVID-19 preventive practices. Female healthcare providers were discovered to be keener to practice proper hand washing than males. Two hundred fifty-three male healthcare providers in Northwest Ethiopia were found to be poorer in implementing preventive practices than females. According to the study by Kassie et al. (2020), ages 20-30 years old, especially men, are less likely to engage in health safety protocols during health crises, which can put a risk to the overall health of the patients. In the study of Thai et al. (2021), the intense work pressure experienced during COVID-19 has caused one of the emergency department doctors in the US to commit suicide. Many healthcare providers are concerned about the lack of adequate medical treatments for positive patients, fear of becoming infected, and the absence of COVID-19 vaccines to prevent the spread of the virus. According to the study by Delamarre et al. (2022), there was a massive training program conducted in Situ to train the operating room, ICU, and anesthesia staff for personal protective equipment (PPE) donning and doffing and COVID-19 airway/ventilation management in a concise time frame (2 weeks).

Reducing cross-contamination and fostering staff coping strategies could minimize the rate of sick leaves brought by negative psychological impact and fear of being infected with COVID-19.8

In March 2020, COVID-19 engulfed the Philippines, throwing its healthcare heroes into a battle against both the virus and burnout. Already facing a pre-pandemic workforce shortage, Filipino nurses, the system's backbone, saw their workloads explode, their emotional capacity stretched thin by constant death and suffering. A study revealed an alarming burnout rate fueled by PPE shortages, limited mental health support, and unclear communication protocols.<sup>9</sup>

Additionally, the emotional burden of providing care for terminally ill patients, witnessing death, and working under constant pressure further eroded the resilience of healthcare providers. A study revealed the multifaceted struggles faced by healthcare providers (HCPs). From anxieties of virus transmission to families to limited access to mental health services, the emotional burden was immense. Resource limitations like PPE shortages and unclear protocols added to the strain, while reaching diverse communities proved challenging due to cultural considerations, trust issues, and rural accessibility barriers.<sup>10</sup>


This study seeks to examine the public health lapses in the Covid-19 pandemic among healthcare providers and explore innovative interventions to prepare Davao City for future health crises better. The findings of this research underscore the importance of implementing effective and strategic interventions in anticipation of future health emergencies. Specifically, it aims to answer the following questions;

- 1. What is the Demographic profile in terms of;
  - 1.1. Gender;
  - 1.2. Age; and
  - 1.3 Educational Level
- 2. What is the level of knowledge, attitudes, and practices of Healthcare Providers in Davao City during the pandemic?

3. Is there a significant difference in healthcare providers' knowledge, attitude, and practices when grouped according to their demographic profile?

4. What innovative and scientific health plan can be proposed based on the findings of the study?

## **Conceptual Framework**



## **Moderator Variable**

Figure 1. Research Paradigm

Figure 1 shows the research paradigm above, which shows the difference between the variables. The lapses to the COVID-19 pandemic are the independent variable, while the innovative interventions for future health crises are the dependent variable. The demographic profile (gender, age, and educational level) is the moderating variable. The level of knowledge, attitudes, and practices of healthcare providers play an important role in determining the significant difference between the independent and dependent variables.

## II. METHODS

ISBN: 978-625-6879-62-1 DOI: 10.5281/zenodo.12514768

## A. Research Respondents and Locale

The respondents of this study were the healthcare providers in Barangay 76-A Bucana, Davao City. The researchers chose this area because it has one of the highest cases of COVID-19 and can provide the needed information about the knowledge, attitudes, and practices of healthcare providers who have experienced the COVID-19 pandemic.

## B. Research Materials and Instruments

In this study, the researchers utilized a 25-item survey questionnaire answered by the healthcare providers in Davao City. The questionnaire was self-made. The research instrument has three parts: (a) knowledge, (b) attitudes, and (c) practices of healthcare providers. The items about healthcare providers' knowledge in Davao City were analyzed for Cronbach Alpha and resulted in 0.804, interpreted as good. The items in the attitude of healthcare providers resulted in 0.757 interpreted as good, and the items for the practices of healthcare providers resulted in 0.757 interpreted as good.

## III. RESULTS AND DISCUSSIONS

Table	<u> 1 L</u>	<b>)</b> emograp	hic l	rofile	<u>e of the</u>	Res	pondents	n=1	! <i>00</i>	1
-------	-------------	------------------	-------	--------	-----------------	-----	----------	-----	-------------	---

Profile Variables	f	%
Gender		
Female	68	68.0
Male	32	32.0
Total	100	100
Age		
22-28	12	12.0
29-35	24	24.0
36-42	13	13.0
43-49	24	24.0
50-56	20	20.0
57-63	5	5.0
64-70	2	2.0
Total	100	100

**Educational Level** 

ISBN: 978-625-6879-62-1 DOI: 10.5281/zenodo.125∮3768

College Graduate	71	71.0
Elementary Graduate	2	2.0
High School Graduate	23	23.0
Vocational	4	4.0
Total	100	100

Table 1 shows the demographic profile of the respondents. There were 100 respondents.

In the study of Almohammed et al. (2020), age and gender were found to be factored during COVID-19 preventive practices. It was discovered that female healthcare providers were more keen to practice proper hand washing than males. Healthcare providers ages 20-30 years old, especially men, are less likely to engage in health safety protocols during health crises, which can put a risk to the overall health of the patients.<sup>6</sup> Healthcare providers with higher levels of education had adequate knowledge and had a positive attitude during pandemic compared to healthcare providers with lower attainment of education.<sup>12</sup>

**Table 2** Overall Results in the Level of Knowledge, Attitude, and Practices

Indicator	Total Mean	Total Std. Deviation
Knowledge of	4.6271	.43874
<b>Healthcare Providers</b>		
Attitudes of	4.6686	.39471
Healthcare Providers		
<b>Practices of</b>	4.6673	.39452
<b>Healthcare Providers</b>		
Overall KAP	4.6543	.34589

Table 2 shows the results of our study, which provides a complete assessment of healthcare provider's Knowledge, Attitude, and Practices (KAP). The mean score for Knowledge of Healthcare Providers is 4.6271, with a standard deviation of 0.43874,

suggesting that individuals have a very high degree of knowledge with relatively low variability..

This is anchored by the study of Ferdous et al. (2020), which states that knowledge, attitude, and practices are critical cognitive tools in public health for health prevention and promotion. It includes a variety of ideas regarding the causes and aggravating aspects of the condition, as well as the identification of symptoms and potential treatment options and consequences.<sup>14</sup> According to Saudi Arabian research healthcare workers' knowledge, attitudes, and practices (KAP) regarding COVID-19 influence their compliance with preventative and control measures.<sup>15</sup>

**Table 3** Significance of the Difference of the Level of Knowledge, Attitude, and Practices in terms of Gender

Indicator	Gender	Mean	SD	t	р
Knowledge of	Male	4.5982	0.40801	-0.450	0.653
<b>Healthcare Providers</b>	Female	4.6408	0.45477		
Attitudes of	Male	4.6741	0.36147	0.096	0.924
<b>Healthcare Providers</b>	Female	4.6660	0.41198		
<b>Practices of</b>	Male	4.6165	0.42997	-0.882	0.380
<b>Healthcare Providers</b>	Female	4.6912	0.37766		
p<0.05					

Table 3 shows no significant differences (p>0.05) in the level of knowledge, attitudes, and practices of healthcare providers when grouped according to gender. In the study of Kim et. al (2020), stated that both male and female healthcare providers thoroughly understand disease transmission, implement appropriate preventive measures, and maintain proper hygiene standards.<sup>16</sup>

**Table 3.1** Significance of the Difference of the Level of Knowledge, Attitude, and Practices in terms of Age

		Sum of	df	Mean	F	p
		Square		Square		
Knowledge	Between Groups	2.560	6	.427	2.406	.093

ISBN: 978-625-6879-62-1 DOI: 10.5281/zenodo.12573768

of Healthcare	Within Groups	16.496	93	.177		
Providers	Total	19.057	99			
Attitude of	Between Groups	.496	6	.083	.515	.796
Healthcare	Within Groups	14.928	93	.161		
Providers	Total	15.424	99			
Practices of	Between Groups	1.077	6	.179	1.164	.332
Healthcare	Within Groups	14.332	93	.154		
Providers	Total	15.409	99			

<sup>\*</sup>p<0.05

Table 3.1 shows no significant differences (p>0.05) in the level of knowledge, attitudes, and practices of healthcare providers when grouped according to age. According to the study by Olum et al. (2021) the healthcare providers in Uganda aged 40 years and above had good practices and are knowledgeable.<sup>17</sup> In the study of Tegegne et al. (2021), older age with higher experiences were also significantly associated with effective practices and attitudes.<sup>18</sup> Moreover, Ulrich et al. (2019), stated that young healthcare professionals also showed an overall positive attitude in collaborating with other healthcare providers.<sup>19</sup>

**Table 3.2** Significance of the Difference of the Level of Knowledge, Attitude, and Practices in terms of Educational

		Sum of	df	Mean	F	p
		Square		Square		
Knowledge	Between Groups	.115	3	.038	.195	.900
of Healthcare	Within Groups	18.946	96	.197		
Providers	Total	19.057	99			
Attitude of	Between Groups	.642	3	.214	1.390	.250
Healthcare	Within Groups	14.781	96	.154		
Providers	Total	15.424	99			

ISBN: 978-625-6879-62-1 DOI: 10.5281/zenodo.1251**8**768

Practices of	Between Groups	1.663	3	.554	3.871	.012
Healthcare	Within Groups	11.360	96	.143		
Providers	Total	11.844	99			

<sup>\*</sup>p<0.05

Table 3.2 shows the "Practices of healthcare providers" data reveals a significant difference (p<0.05) between high school graduates and college graduates. The data shows a noticeable significant difference between the two educational backgrounds. The study's findings highlight no clear relationship between healthcare providers' knowledge levels and the quality of their practices in Uganda. While higher educational attainment correlates with higher knowledge scores among providers, this sometimes needs to translate into improved practices consistently. Efforts to enhance healthcare delivery and outcomes should encompass and addresses knowledge acquisition and provides adequate support, resources, and tailored training to empower healthcare providers to implement best practices effectively. 21

## IV. CONCLUSION AND RECOMMENDATIONS

### **Conclusion**

The findings found that healthcare providers had a high degree of understanding of safety practices such as using a facemask, face shield, alcohol-based hand sanitizer, social distancing, and sanitary behaviors. The findings also demonstrated that healthcare providers conducted autonomous, effective, and strategic interventions throughout the pandemic. It also means that healthcare providers followed necessary and safe measures.

## Recommendations

Based on the findings and conclusions of the study, the following are hereby recommended by the researchers:

**Healthcare providers** are encouraged to attend more seminars and training to improve their awareness of safety and other critical precautions during a pandemic.

7TH INTERNATIONAL ACHARAKA CONGRESS ON MEDICINE, NURSING, MIDWIFERY AND HEALTH SCIENCES PROCEEDINGS BOOK

The Barangay officials should maintain their safety protocols not just in the office but also in the community. They should also carefully execute and reinforce

The City Health Department should conduct and create a regular pandemic preparedness plan, including a clear outbreak response protocol, resource allocation, and communication strategies.

Future researchers may provide creative strategies to healthcare providers on how to execute different health practices in the community through informative materials.

### REFERENCES

- Pruthi, S., Allen, N., Blackmon, S., et al. Coronavirus disease 2019 (COVID-19). Mayo Clinte. 2020. https://www.mayoclinic.org/diseases-conditions/coronavirus/symptoms-causes/syc-20479963. July 23, 2023. Accessed on September 1, 2023.
- Coccia, M. Pandemic Prevention: Lessons from COVID-19. Encyclopedia. 2021;
   1(2), 433-444. doi:10.3390/encyclopedia1020036.
- Filip, R., Puscaselu, R. G., Anchidin-Norocel, L., Dimian, M., & Savage, W. Global Challenges to Public Health Care Systems during the COVID-19 Pandemic: A Review of Pandemic Measures and Problems. *Journal of Personalized Medicine*. 2022; 12(8): 1295. doi:10.3390/jpm12081295.
- Belayneh, K.A., et al., Poor COVID-19 Preventive Practice among HealthcareWorkers in Northwest Ethiopia. Advances in Public Health. 2020. Volume 2020;1-7. doi: 10.1155/2020/7526037

## **REFERENCES**

- Pruthi, S., Allen, N., Blackmon, S., et al. Coronavirus disease 2019 (COVID-19). Mayo Clinic. 2020. https://www.mayoclinic.org/diseases-conditions/coronavirus/symptoms-causes/syc-20479963. July 23, 2023. Accessed on September 1, 2023.
- 2. Coccia, M. Pandemic Prevention: Lessons from COVID-19. *Encyclopedia*. 2021; *1*(2), 433-444. doi:10.3390/encyclopedia1020036.
- 3. Filip, R., Puscaselu, R. G., Anchidin-Norocel, L., Dimian, M., & Savage, W. Global Challenges to Public Health Care Systems during the COVID-19 Pandemic: A Review of Pandemic Measures and Problems. *Journal of Personalized Medicine*. 2022; 12(8): 1295. doi:10.3390/jpm12081295.
- 4. Belayneh, K.A,. et al., Poor COVID-19 Preventive Practice among HealthcareWorkers in Northwest Ethiopia. *Advances in Public Health*. 2020. Volume 2020;1-7. doi: 10.1155/2020/7526037
- Birihane, A., K., Bayih, W., A., Alemu, A., Y. & Belay, D., M. Perceived Barriers and Preventive Measures of COVID-19 Among Healthcare Providers in Debretabor, North Central Ethiopia. *PubMed Central*. 2020. 13:, 2699-2706. doi: 10.2147/RMHP.S287772
- Kassie, B. A., et al. Poor COVID-19 Preventive Practice among Healthcare Workers in Northwest Ethiopia. *Advances in Public Health*. 2020. Volume 2020; 1-7. doi: 10.1155/2020/7526037
- 7. Thai, T. T., et al. Healthcare Workers' Emotions, Stressor Experiences and Coping Strategies During the COVID-19 Pandemic in Vietnam. *National Library of Medicine*. 2021; 14: 4281- 429. doi: 10.2147/RMHP.S322929

8. Delamarre, L., et al. Mass Training In Situ During COVID-19 Pandemic: Enhancing Efficiency And Minimizing Sick Leaves. Simulation In Healthcare: *Journal Of The Society For Simulation In Healthcare*. 2022; 17(1): 42-48. doi: 10.1097/SIH.000000000000556

- 9. Cruz, M. T., et al. Burnout Among Healthcare Workers in the Philippines: Prevalence and Associated Factors. *Philippine Journal of Internal Medicine*. 2022. 58(4), 247-253. DOI:10.47895/amp.v56i6.3535
- 10. Sazon, M. C. P., et al. Beyond PPE: Lived Experiences of Community Health Nurses in Managing COVID-19 in Davao City, Philippines. *International Journal of Nursing Sciences*. 2021;18(6), 709-715.
- 11. Studies L. Descriptive Research. Librarian Studies and Information Technology. 2022: https://www.librarianshipstudies.com/2022/10/descriptive-research.htm. Accessed on January 12, 2024.
- 12. Almohammed, O., et al. Knowledge, Attitude, and Practices Associated with Covid-19 Among Healthcare Workers in Hospital: A Cross-sectional Study in Saudi Arabia. *Frontiers*. 2021 (9). doi.org/10.3389/fpubh.2021.643053.
- 13. Khobrani, Moteb, et al. "Evaluation of Health Care Professionals' Knowledge, Attitudes, and Practice to Prevent the Pandemic Spread of COVID-19: A Questionnaire-Based Cross-Sectional Study from Abha, Saudi Arabia." *Healthquare MDPI*. 2020 (11)4: 509. doi.org/10.3390/healthcare11040509.
- 14. Ferdous, Most. Z., et al. Knowledge, Attitude, and Practice regarding COVID-19 Outbreak in Bangladesh: An Online-based Cross-sectional Study. *PLOS ONE*. 2020 (15);10. doi.org/10.1371/journal.pone.0239254.
- 15. Basheeruddin Asdaq, Syed M., et al. "Knowledge, Attitude and Practices of Healthcare Professionals of Riyadh, Saudi Arabia towards Covid-19: A Crosssectional Study." *Saudi Journal of Biological Sciences*. 2021(28)9; 5275-5282. doi.org/10.1016/j.sjbs.2021.05.036.
- 16. Kim, Jung K., and Eileen M. Crimmins. How Does Age Affect Personal and Social Reactions to COVID-19: Results from the National Understanding America Study. *PLOS ONE*. 2020(15); 11. doi.org/10.1371/journal.pone.0241950.
- 17. Olum, R., et al. Coronavirus Disease-2019: Knowledge, Attitude, and Practices of Health Care Workers at Makerere University Teaching Hospitals, Uganda. *Frontiers*. 2020(8). doi.org/10.3389/fpubh.2020.00181.

ISBN: 978-625-6879-62-1 DOI: 10.5281/zenodo.12513768

18. Tegegne, G., et al. Knowledge, Attitude, and Practice of Healthcare Providers toward Novel Coronavirus 19 during the First Months of the Pandemic: A systematic review. *Frontiers*. 2021 (9). doi.org/10.3389/fpubh.2021.606666.

- 19. Ulrich, G., et al. Attitudes towards interprofessional collaboration in young healthcare professionals. *Journal of Interprofessional Care*. 2019 (33)6. doi.org/10.1080/13561820.2019.1597839.
- 20. Orji, B., Oliveras, E., Odio, B. et al. Knowledge, attitudes and practices of infection prevention and control among healthcare workers during the COVID 19 pandemic: a descriptive cross-sectional study in three Nigerian states. BMC Health Serv Res 23, 253 (2023). https://doi.org/10.1186/s12913-023-09218-9
- 21. Rattay, Petra, et al. Differences in Risk Perception, Knowledge and Protective Behaviour regarding COVID-19 by Education Level among Women and Men in Germany. Results from the COVID-19 Snapshot Monitoring (COSMO) Study. *PLOS ONE*. 2021(16);5 2021. doi.org/10.1371/journal.pone.025169.